

## PRODUCT INFORMATION

<b>Uniprot ID</b>	P08195
<b>Common Name</b>	HuM23
<b>Conjugate</b>	Unconjugated
<b>Synonyms</b>	SLC3A2; 4F2; MDU1
<b>Applications</b>	ELISA, Flow Cyt
<b>Recommended Dilutions</b>	ELISA 1:5000-10000, Flow Cyt 1:100
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
<b>Host Species</b>	Humanized
<b>IgG type</b>	Human IgG1(K214R) - kappa
<b>Reactivity</b>	Human
<b>Target</b>	CD98
<b>Description</b>	Anti-CD98(HuM23 biosimilar) mAb
<b>Delivery</b>	In Stock
<b>Storage&amp;Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature.
<b>Background</b>	Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals.
<b>Usage</b>	Research use only



## Anti-CD98(HuM23 biosimilar) mAb ELISA

0.2  $\mu$ g of Human CD98, His tagged protein per well




Figure 1. ELISA plate pre-coated by 2  $\mu$ g/mL (100  $\mu$ L/well) Human CD98 Protein, His Tag (PME101306) can bind Anti-CD98(HuM23 biosimilar) mAb (BME100238) in a linear range of 0.64-80 ng/mL.




Figure 2. CD98 protein is expressed on the surface of HEK293 cell membrane. Flow cytometry analysis with 1  $\mu$ g/mL Anti-CD98(HuM23 biosimilar) mAb (BME100238) (Blue histogram) or isotype control mAb (Red histogram) on HEK293 cells.

