

PRODUCT INFORMATION

IMMU-130, hMN-14-SN-38, hMN-14-SN-38 ADC, **Common Name**

hMN14-CL-SN-38, hMN14-SN-38

Synonyms CEACAM-5;CD66e;CEA;Meconium antigen 100

Applications ELISA; Flow Cyt

Recommended

Dilutions

ELISA 1:5000-10000

Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Host Species Humanized

IgG type lgG1 Reactivity Human CEACAM5 **Target Uniprot ID** P06731

Description Anti-CEACAM5 (labetuzumab biosimilar) mAb

Delivery In Stock

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

Email: info@dimabio.com Website: www.dimabio.com

temperature.

Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans **Background**

or animals.

Usage Research use only





Anti-CEACAM5 (labetuzumab biosimilar) mAb ELISA

0.2 µg of CEACAM5, His Tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μ g/ml (100 μ l/well) Human CEACAM5, His tagged protein ([getskuurl sku="PME100071"]) can bind Anti-CEACAM5 Neutralizing antibody(BME100035) in a linear range of 2.56-320 ng/ml.




Figure 2. Flow cytometry analysis with Anti-CEACAM5 (labetuzumab) on Expi293 cells transfected with human CEACAM5 (Blue histogram) or Expi293 transfected with irrelevant protein(Red histogram).

Email: info@dimabio.com Website: www.dimabio.com

