

## PRODUCT INFORMATION

<b>Common Name</b>	M9346A, Unconjugated mAb
<b>Conjugate</b>	Unconjugated
<b>Synonyms</b>	FBP, FOLR, FRalpha, NCFTD
<b>Applications</b>	ELISA, Flow Cyt
<b>Recommended Dilutions</b>	ELISA 1:5000-10000, Flow Cyt 1:100
<b>Formulation &amp; Reconstitution</b>	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions.
<b>Host Species</b>	Chimeric
<b>IgG type</b>	Human IgG1(E356D,M358L) - kappa
<b>Reactivity</b>	Human
<b>Target</b>	FOLR1
<b>Uniprot ID</b>	P15328
<b>Description</b>	Anti-FOLR1(mirvetuximab biosimilar) mAb
<b>Delivery</b>	In Stock
<b>Storage&amp;Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature.
<b>Background</b>	Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals. Our unconjugated biosimilar monoclonal antibodies (mAbs) are based on the sequences outlined in relevant patents or scientific publications. These antibodies are in their native, unconjugated form, meaning they do not contain any payload or therapeutic agent attached. They are designed for use in research and development, and their performance has been tested as standalone molecules through comprehensive QC tests.
<b>Usage</b>	Research use only






Figure 1. FOLR1 protein is highly expressed on the surface of HEK293 cell membrane. Flow cytometry analysis with 1 $\mu$ g/mL Anti-FOLR1(mirvetuximab biosimilar) mAb (BME100178) on HEK293 cells transfected with human FOLR1 (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram), and Isotype antibody on HEK293 transfected with irrelevant protein (Orange histogram).

### Anti-FOLR1(mirvetuximab biosimilar) mAb ELISA

0.2  $\mu$ g of Human FOLR1, His tagged protein per well




Figure 2. ELISA plate pre-coated by 2  $\mu$ g/mL (100  $\mu$ L/well) Human FOLR1 Protein, His Tag(PME100249) can bind Anti-FOLR1(mirvetuximab biosimilar) mAb(BME100178) in a linear range of 0.64–16 ng/mL.

