

PRODUCT INFORMATION

Clone ID 131A1 **Target** HFR3

Synonyms HER3; ERBB3

Host Species Rabbit

Description Anti-HER3 antibody(131A1), Rabbit mAb

Delivery In Stock **Uniprot ID** P21860 IgG type Rabbit IgG Clonality Monoclonal Reactivity Human Applications IHC

Recommended

IHC 1:200 **Dilutions**

Purified from cell culture supernatant by affinity **Purification**

chromatography

Formulation & Reconstitution

Background

Storage & Shipping

Lyophilized from sterile PBS, pH 7.4. Normally 5 % 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient temperature.

This gene encodes a member of the epidermal growth factor receptor (EGFR) family of receptor tyrosine kinases. This membrane-bound protein has a neuregulin binding domain but not an active kinase domain. It therefore can bind this

ligand but not convey the signal into the cell through protein phosphorylation. However; it does form heterodimers with other EGF receptor family members which do have kinase activity. Heterodimerization leads to the activation of pathways which lead to cell proliferation or differentiation. Amplification of this gene and:or overexpression of its protein have been reported in numerous cancers; including prostate; bladder; and breast tumors. Alternate transcriptional splice

variants encoding different isoforms have been characterized. One isoform lacks the

intermembrane region and is secreted outside the cell. This form acts to modulate the activity of the membrane-bound form. Additional splice variants have also been reported; but they have not been

thoroughly characterized.

Usage Research use only

Conjugate Unconjugated

> All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or

reverse engineering attempt is prohibited. We are

Email: info@dimabio.com

Website: www.dimabio.com

actively scr

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

DIMA Disclaimer









Figure 1. DME101059 at 5μg/ml staining Her3 in human tonsil tissue by IHC (SKU# DME101059).



Email: info@dimabio.com Website: www.dimabio.com

