

PRODUCT INFORMATION

Common Name MABp1

Conjugate Unconjugated

Synonyms IL-1 alpha;IL-1A;IL1;IL1-ALPHA;IL1F1

Applications ELISA; Flow Cyt

Recommended

Dilutions

ELISA 1:5000-10000; Flow Cyt 1:100

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution.

Host Species Humanized

IgG type Human IgG1 - kappa

Reactivity Human **Target** IL1A **Uniprot ID** P01583

Anti-IL1A(bermekimab biosimilar) mAb **Description**

Delivery In Stock

Storage & Shipping

Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

> Email: info@dimabio.com Website: www.dimabio.com

témperature.

Research grade biosimilar. Not for use in

Background therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only





Anti-IL1A (bermekimab biosimilar) mAb ELISA

0.2 µg of Human IL1A, hFc tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human IL1A Protein, hFc Tag (PME101053) can bind Anti-IL1A Neutralizing antibody (BME100097) in a linear range of 3.05–740.74 ng/mL. In order to specifically detect BME100097, mouse anti-human Fab-specific antibody was used as detection antibody.




Figure 2. Flow cytometry analysis under cell membrane permeable condition with 1 μ g/mL Anti-IL1A (bermekimab biosimilar) mAb (BME100097) on HEK293 cells transfected with Human IL1A protein (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com