

## **PRODUCT INFORMATION**

**Clone ID** 3E12 LRP10 **Target** 

LRP-10;LRP9;MST087;MSTP087 **Synonyms** 

**Host Species** Rabbit

Description Anti-LRP10 antibody(3E12), Rabbit mAb

**Delivery** In Stock Q7Z4F1 **Uniprot ID** IgG type Rabbit IgG Clonality Monoclonal Reactivity Human **Applications** Flow Cyt

Recommended

**Background** 

Flow Cyt 1/100 **Dilutions** 

Purified from cell culture supernatant by affinity **Purification** 

chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not Storage & Shipping intended for use within a month, aliquot and store

at -80°C (Avoid repeated freezing and thawing). This gene encodes a low density lipoprotein receptor family protein. A similar protein in mouse is thought to play a role in the uptake of apolipoprotein E-containing lipoproteins.

> Email: info@dimabio.com Website: www.dimabio.com

[provided by RefSeq, Jul 2016]

Usage Research use only Conjugate Unconjugated








Figure 1. Flow cytometry analysis with  $2\mu g/mL$  Anti-LRP10 (3E12) mAb on HEK293 cells transfected with human LRP10 (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

Email: info@dimabio.com Website: www.dimabio.com

