

PRODUCT INFORMATION

| | |
|---|---|
| Common Name | ABT-700,hz224G11 |
| Conjugate | Unconjugated |
| Synonyms | MET |
| Applications | ELISA, Flow Cyt |
| Endotoxin | Less than 1.0 EU/ μ g by the LAL method. For <1 EU/mg requirements, please contact us for customization. |
| Recommended Dilutions | ELISA 1:5000-10000, Flow Cyt 1:100 |
| Formulation & Reconstitution | Lyophilized from sterile PBS, pH 7.4. Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. |
| Host Species | Humanized |
| IgG type | Human IgG1(K214R,Del-K222,T223C,Del-T225) - Kappa |
| Reactivity | Human |
| Target | MET |
| Uniprot ID | P08581 |
| Description | Anti-MET(telisotuzumab biosimilar) mAb |
| Delivery | In Stock |
| Storage&Shipping | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized antibodies are shipped at ambient temperature. |
| Background | Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals. |
| Usage | Research use only |



Anti-MET(telisotuzumab biosimilar) mAb ELISA

0.2 µg of Human MET, His tagged protein per well




Figure 1. ELISA plate pre-coated by 2 µg/mL (100 µL/well) Human MET Protein, His Tag (PME101405) can bind Anti-MET(telisotuzumab biosimilar) mAb (BME100261) in a linear range of 0.13-16 ng/mL.




Figure 2. Flow cytometry analysis with 1 µg/mL Anti-MET(telisotuzumab biosimilar) mAb (BME100261) (Blue histogram) or isotype control mAb (Red histogram) on HEK293 cells.

