

## **PRODUCT INFORMATION**

**Uniprot ID** P02766

NNC6019; NNC-6019; PRX004; PRX-004 **Common Name** 

Conjugate Unconjugated

CTS;TTN;ATTR;CTS1;PALB;TBPA;HEL111;HsT2651 **Synonyms** 

**ELISA Applications** 

Recommended

ELISA 1:5000-10000 **Dilutions** 

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution.

**Host Species** N/A lgG1 IgG type Reactivity Human **Target** TTR

**Description** Anti-TTR(coramitug biosimilar [IgG1) mAb

**Delivery** In stock

Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

Email: info@dimabio.com Website: www.dimabio.com

témperature.

Research grade biosimilar. Not for use in

**Background** therapeutic or diagnostic procedures for humans

or animals.


**Usage** Research use only





## Anti-TTR(coramitug biosimilar) mAb ELISA

 $0.2~\mu g$  of Human TTR Protein, hFc tagged protein per well



Anti-TTR(coramitug biosimilar) mAb(ng/mL)

Figure 1. ELISA plate pre-coated by 2  $\mu$ g/mL (100  $\mu$ L/well) Human TTR Protein, hFc Tag (PME101430) can bind Anti-TTR(coramitug biosimilar) mAb (BME100460) in a linear range of 40–200 ng/mL.In order to specifically detect BME100460, mouse anti-human Fab-specific antibody was used as detection antibody.

Email: info@dimabio.com Website: www.dimabio.com

