

PRODUCT INFORMATION

P29965 **Uniprot ID**

Recommended ELISA 1:5000-10000 **Dilutions**

INX 021;INX021;INX-021;SAR-441344;SAR441344;SAR 441344 **Common Name**

Conjugate Biotinylated

Synonyms IGM;IMD3;TRAP;gp39;CD154;CD40L;HIGM1;T-BAM;TNFSF5;hCD40L

Applications

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. Formulation & Reconstitution

Host Species IgG type lgG1 Reactivity Human **Target** CD40 Ligand

Biotinylated Anti-CD40 Ligand(frexalimab biosimilar) mAb **Description**

Delivery In Stock

Storage & Shipping

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized

proteins are shipped at ambient temperature.


Research grade biosimilar. Not for use in therapeutic or diagnostic **Background**

procedures for humans or animals.

Usage Research use only

Biotinylated Anti-CD40 Ligand(frexalimab biosimilar) ELISA

0.2 μg of Human CD40 Ligand, hFc tagged protein per well



Biotinylated Anti-CD40 Ligand(frexalimab biosimilar) mAb (ng/mL)

Website: www.dimabio.com



Biotinylated Anti-CD40 Ligand(frexalimab biosimilar) mAb

Cat. No. BME100516B



Figure 1. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human CD40 Ligand Protein, hFc tag (PME100192) can bind Biotinylated Anti-CD40 Ligand(frexalimab biosimilar) mAb (BME100516B) in a linear range of 80-400 ng/mL .

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com

JIMARJIO CONTRIBUTION CONTRIBUT

