

PRODUCT INFORMATION

| | |
|---|--|
| Clone ID | DMC687 |
| Target | CXADR |
| Synonyms | CAR; CAR4:6; HCAR |
| Host Species | Rabbit |
| Description | Biotinylated Anti-CXADR antibody(DMC687); IgG1 Chimeric mAb |
| Delivery | 2-3 weeks |
| Uniprot ID | P78310 |
| IgG type | Rabbit/Human Fc chimeric IgG1 |
| Clonality | Monoclonal |
| Reactivity | Human |
| Applications | Flow Cyt; WB; IHC |
| Recommended Dilutions | Flow Cyt 1:100; WB 1:1000; IHC 1:100 |
| Purification | Purified from cell culture supernatant by affinity chromatography |
| Formulation & Reconstitution | Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. |
| Storage & Shipping | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. |
| Background | The protein encoded by this gene is a type I membrane receptor for group B coxsackieviruses and subgroup C adenoviruses. Several transcript variants encoding different isoforms have been found for this gene. Pseudogenes of this gene are found on chromosomes 15; 18; and 21. [provided by RefSeq; May 2011] |
| Usage | Research use only |
| Conjugate | Biotinylated |
| DIMA Disclaimer | All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scrutinizing all patent application to ensure no IP infringement. |

