## PRODUCT INFORMATION

| | |
|---|---|
| **Clone ID** | 3C12 |
| **Target** | Exatecan |
| **Synonyms** | N/A |
| **Host Species** | Rabbit |
| **Description** | Biotinylated Anti-Exatecan antibody(3C12), Rabbit mAb |
| **Delivery** | In Stock |
| **Uniprot ID** | N/A |
| **IgG type** | Rabbit IgG |
| **Clonality** | Monoclonal |
| **Reactivity** | Human |
| **Applications** | ELISA |
| **Recommended Dilutions** | ELISA 1/5000-10000 |
| **Purification** | Purified from cell culture supernatant by affinity chromatography |
| **Formulation & Reconstitution** | Powder |
| **Storage&Shipping** | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). |
| **Background** | Exatecan (Exa) is a very potent inhibitor of topoisomerase I and anticancer agent. It has been intensively studied as a single agent, a large macromolecular conjugate and as the payload component of antigen-dependent antibody–drug conjugates. |
| **Usage** | Research use only |
| **Conjugate** | Biotinylated |

DIMA BIOTECH CONFIDENTIAL

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China
Telephone: +1 2409940618(USA)
/+86-18062749453(China)
/+86-400-006-0995(China)

Email: info@dimabio.com
Website: www.dimabio.com




Figure 1. ELISA plate pre-coated by 1 μg/mL (100 μL/well) BSA-Exatecan can Biotinylated Anti-Exatecan antibody(3C12), Rabbit mAb (DME101317B) in a linear range of 16-400 ng/mL.

DIMABIO CONFIDENTIAL

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China
Telephone: +1 2409940618(USA)
/+86-18062749453(China)
/+86-400-006-0995(China)

Email: info@dimabio.com
Website: www.dimabio.com