

PRODUCT INFORMATION

Clone ID 10E10 FZD4 **Target**

CD344; EVR1; FEVR; Fz-4; Fz4; FZD4S; FzE4; **Synonyms**

GPCR; hFz4

Host Species

Biotinylated Anti-FZD4 antibody(10E10), IgG1 **Description**

Chimeric mAb

Delivery 2-3 weeks O9ULV1 **Uniprot ID**

IgG type Rabbit/Human Fc chimeric IgG1

Clonality Monoclonal Reactivity Human **Applications** Flow Cyt

Recommended

Flow Cyt 1/100 **Dilutions**

Purified from cell culture supernatant by affinity **Purification**

chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

This gene is a member of the frizzled gene family. Members of this family encode seven-

transmembrane domain proteins that are receptors for the Wingless type MMTV integration site family of signaling proteins. Most frizzled receptors are coupled to the beta-catenin canonical signaling pathway. This protein may

Background play a role as a positive regulator of the Wingless

type MMTV integration site signaling pathway. A transcript variant retaining intronic sequence and encoding a shorter isoform has been described, however, its expression is not supported by other experimental evidence. [provided by RefSeq, Jul

Usage Research use only

Conjugate Biotinylated

> All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are

Email: info@dimabio.com Website: www.dimabio.com

actively scr



DIMA Disclaimer