

## **PRODUCT INFORMATION**

**Target** Mesothelin MPF; SMRP **Synonyms** 

Recombinant Cynomolgus Mesothelin protein with **Description** 

C-terminal 10×His tag

**Delivery** In Stock **Uniprot ID** G7Q039 **Expression Host HEK293** 

Tag C-10×His tag

Molecular

Mesothelin(Ser34-Val514) 10×His tag Characterization

The protein has a predicted molecular mass of **Molecular Weight** 53.9 kDa after removal of the signal peptide.

The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue

**Purity** 

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before Formulation & Reconstitution

lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

temperature.

This gene encodes a preproprotein that is proteolytically processed to generate two protein products, megakaryocyte potentiating factor and mesothelin. Megakaryocyte potentiating factor functions as a cytokine that can stimulate colony formation of bone marrow megakaryocytes.

Mesothelin is a glycosylphosphatidylinositol-anchored cell-surface protein that may function as a cell adhesion protein. This protein is **Background** 


overexpressed in epithelial mesotheliomas, ovarian cancers and in specific squamous cell carcinomas. Alternative splicing results in multiple transcript variants, at least one of which encodes an isoform that is proteolytically

processed. [provided by RefSeq, Feb 2016]

**Usage** Research use only

Conjugate Unconjugated

> Email: info@dimabio.com Website: www.dimabio.com








Figure 1. Cynomolgus Mesothelin Protein, His Tag on SDS-PAGE under reducing condition.

Email: info@dimabio.com Website: www.dimabio.com

