

PRODUCT INFORMATION

Target	CCR4
Description	Monoclonal Cell Line Derived from CHO-S Cells, Engineered for Stable Expression of Human CCR4 Using Lentiviral Technology
Host Cells	CHO-S
Uniprot ID	P51679
Applications	FACS Data
Growth media	DMEM+10% FBS+1% P.S+Gln+2 ug/mL Puromycin
Package	5E6 Cells/mL
Suggested Control	SKU: BME100086
Warranty and Disclaimer	1. Please inspect cells upon receipt and report any issues promptly. 2. We offer one-time replacements for issues reported within a week of receipt. 3. User-induced issues are not eligible for free replacements. 4. We do not accept liability for damages resulting from cell use, storage, or loss. 5. Feedback received more than one month after receipt will not be processed.
Storage&Shipping	Cells are shipped using dry ice and require liquid nitrogen storage for long term preservation.
Synonyms	CC-CKR-4; CD194; ChemR13; CKR4; CMKBR4; HGCN:14099; K5-5
Background	The protein encoded by this gene belongs to the G-protein-coupled receptor family . It is a receptor for the CC chemokine - MIP-1; RANTES; TARC and MCP-1. Chemokines are a group of small polypeptide; structurally related molecules that regulate cell trafficking of various types of leukocytes. The chemokines also play fundamental roles in the development; homeostasis; and function of the immune system; and they have effects on cells of the central nervous system as well as on endothelial cells involved in angiogenesis or angiostasis.
Usage	For research use only.



Hu_CCR4 CHO-S Cell Line




Figure 1. Flow cytometry analysis of human CCR4 overexpression using Hu_CCR4 CHO-S Cell Line (Cat. No. CEL100075) and Anti-CCR4(mogamulizumab biosimilar) mAb (Cat. No. BME100086)

