

PRODUCT INFORMATION

Target	CDH3
Description	Monoclonal Cell Line Derived from CHO-S Cells, Engineered for Stable Expression of Human CDH3 Using Lentiviral Technology
Host Cells	CHO-S
Uniprot ID	P22223
Applications	FACS Data
Growth media	DMEM+10% FBS+1% P.S+Gln+2 ug/mL Puromycin
Package	5E6 Cells/mL
Suggested Control	SKU: DMC101041
Warranty and Disclaimer	1. Please inspect cells upon receipt and report any issues promptly. 2. We offer one-time replacements for issues reported within a week of receipt. 3. User-induced issues are not eligible for free replacements. 4. We do not accept liability for damages resulting from cell use, storage, or loss. 5. Feedback received more than one month after receipt will not be processed.
Storage & Shipping	Cells are shipped using dry ice and require liquid nitrogen storage for long term preservation.
Synonyms	CDHP;HJMD;PCAD
Background	This gene encodes a classical cadherin of the cadherin superfamily. Alternative splicing results in multiple transcript variants, at least one of which encodes a preproprotein that is proteolytically processed to generate the mature glycoprotein. This calcium-dependent cell-cell adhesion protein is comprised of five extracellular cadherin repeats, a transmembrane region and a highly conserved cytoplasmic tail. This gene is located in a gene cluster in a region on the long arm of chromosome 16 that is involved in loss of heterozygosity events in breast and prostate cancer. In addition, aberrant expression of this protein is observed in cervical adenocarcinomas. Mutations in this gene are associated with hypotrichosis with juvenile macular dystrophy and ectodermal dysplasia, ectrodactyly, and macular dystrophy syndrome (EEMS).
Usage	For research use only.



Hu_CDH3 CHO-S Cell Line




Figure 1. Flow cytometry analysis of human CDH3 overexpression using Hu_CDH3 CHO-S Cell Line (Cat. No. CEL100060) and Anti-CDH3 antibody(6A10)IgG1 Chimeric mAb (Cat. No. DMC101041)

