

## **PRODUCT INFORMATION**

Target

Monoclonal Cell Line Derived from Jurkat Cells, Engineered for Stable Expression of Human EPCAM Using Lentiviral Technology Description

Host Cells Jurkat Uniprot ID P16422 FACS Data Applications

RPMI-1640+10% FBS+1% P.S+1% GIn+2 ug/mL Puromycin

Package Suggested Control SKU: BME100189

 Please inspect cells upon receipt and report any issues promptly.
We offer one-time replacements for issues reported within a week of receipt.
User-induced issues are not eligible for free replacements.
We do not accept liability for damages resulting from cell use, storage, or loss.
Feedback received more than one month after receipt will not be processed. Warranty and Disclaimer


Storage & Shipping Cells are shipped using dry ice and require liquid nitrogen storage for long term preservation.

EPCAM;TACSTD1;TROP1;CD326;DIAR5;EGP2;EGP314;EGP40;ESA;GA733-2;HNPCC8;HNPCC-8;KS1:4;KSA;M4S1;MIC18;MK1 Synonyms

This gene encodes a carcinoma-associated antigen and is a member of a family that includes at least two type I membrane proteins. This antigen is expressed on most normal epithelial cells and gastrointestinal carcinomas and functions as a homotypic calcium-independent cell adhesion molecule. The antigen is being used as a target for immunotherapy treatment of human carcinomas. Mutations in this gene result in congenital tufting enteropathy. Background

For research use only. Usage

## Hu\_EPCAM Jurkat Cell Line



Human IgG

Anti-EPCAM(IMC001 biosimilar) mAb (SKU: BME100189)

Figure 1. Flow cytometry analysis of human EPCAM overexpression using Hu\_EPCAM Jurkat Cell Line (Cat. No. CEL100028)

and Anti-EPCAM(IMC001 biosimilar) mAb (Cat. No. BME100189)

Email: info@dimabio.com Website: www.dimabio.com



Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)