

PRODUCT INFORMATION

Tag	C-Flag Tag
Target	5HT7R
Synonyms	5-HT7
Description	Human 5HT7R full length protein-synthetic nanodisc
Delivery	In Stock
Uniprot ID	P34969
Expression Host	HEK293
Protein Families	Druggable Genome, GPCR, Transmembrane
Protein Pathways	Calcium signaling pathway, Neuroactive ligand-receptor interaction
Molecular Weight	The human full length 5HT7R protein has a MW of 53.6 kDa
Formulation & Reconstitution	Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Storage&Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	The neurotransmitter, serotonin, is thought to play a role in various cognitive and behavioral functions. The serotonin receptor encoded by this gene belongs to the superfamily of G protein-coupled receptors and the gene is a candidate locus for involvement in autistic disorder and other neuropsychiatric disorders. Three splice variants have been identified which encode proteins that differ in the length of their carboxy terminal ends.
Usage	Research use only
Conjugate	Unconjugated



ELISA assay to evaluate 5HT7R-Nanodisc
0.2 μ g Human 5HT7R-Nanodisc per well




Figure1. Elisa plates were pre-coated with Flag Tag 5HT7R-Nanodisc (0.2 μ g/per well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with 5HT7R-Nanodisc is 5.739ng/ml.




Figure2. Human 5HT7R-Nanodisc, Flag Tag on SDS-PAGE

