

## **PRODUCT INFORMATION**

**Target** ADRA1A

**Synonyms** ADRA1C; ADRA1L1; ALPHA1AAR

Recombinant human ADRA1A Protein with C-**Description** 

terminal human Fc tag

**Delivery** In Stock **Uniprot ID** P35348 **Expression Host HEK293** 

Tag C-Human Fc tag

Molecular

**Purity** 

ADRA1A(Met1-Lys25) hFc(Glu99-Ala330) Characterization

The protein has a predicted molecular mass of **Molecular Weight** 28.7 kDa after removal of the signal peptide.

The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before

Formulation & lyophilization. Please see Certificate of Analysis Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

temperature.

Alpha-1-adrenergic receptors (alpha-1-ARs) are members of the G protein-coupled receptor superfamily. They activate mitogenic responses and regulate growth and proliferation of many cells. There are 3 alpha-1-AR subtypes: alpha-1A -1B and -1D, all of which signal through the Gq/11 family of G-proteins and different subtypes show

**Background** different patterns of activation. This gene encodes alpha-1A-adrenergic receptor.

Alternative splicing of this gene generates four transcript variants, which encode four different isoforms with distinct C-termini but having similar ligand binding properties. [provided by RefSeq, Jul 2008]

Research use only Usage

Conjugate Unconjugated

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China)

/+86-400-006-0995(China)










Figure 1. Human ADRA1A Protein, hFc Tag on SDS-PAGE under reducing condition.



