

**PRODUCT INFORMATION**

<b>Tag</b>	C-Flag Tag
<b>Target</b>	AQP5
<b>Synonyms</b>	AQP-5; PPKB
<b>Description</b>	Human AQP5 full length protein-PeptiNanodisc
<b>Delivery</b>	In Stock
<b>Uniprot ID</b>	P55064
<b>Expression Host</b>	HEK293
<b>Protein Families</b>	Druggable Genome, Transmembrane
<b>Protein Pathways</b>	N/A
<b>Molecular Weight</b>	The human full length AQP5 protein has a MW of 28.3 kDa
<b>Storage&amp;Shipping</b>	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
<b>Formulation &amp; Reconstitution</b>	Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Lyophilized from PBS. Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions.
<b>Background</b>	Aquaporin 5 (AQP5) is a water channel protein. Aquaporins are a family of small integral membrane proteins related to the major intrinsic protein (MIP or AQP0). Aquaporin 5 plays a role in the generation of saliva, tears and pulmonary secretions. AQP0, AQP2, AQP5, and AQP6 are closely related and all map to 12q13.
<b>Usage</b>	Research use only
<b>Conjugate</b>	Unconjugated



### ELISA assay to evaluate AQP5-PeptiNanodisc 0.2 $\mu$ g Human AQP5-PeptiNanodisc per well




Figure 1. Elisa plates were pre-coated with C-Flag Tag AQP5-PeptiNanodisc (0.2 $\mu$ g/per well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with AQP5-PeptiNanodisc is 0.756ng/ml.




Figure 2. Human AQP5-PeptiNanodisc, Flag Tag on SDS-PAGE






Figure 3. The purity of Human AQP5-PeptiNanodisc is greater than 90% as determined by SEC-HPLC.

DIMABIO CONFIDENTIAL

