

PRODUCT INFORMATION

Target BTLA

BTLA;CD272 **Synonyms**

Recombinant human BTLA protein with C-terminal **Description**

mouse Fc and 6×His tag

Delivery In Stock **Uniprot ID** Q7Z6A9 **Expression Host HEK293**

Tag C-Mouse Fc and 6×His Tag

Molecular BTLA(Lys31-Ser150) mFc(Pro99-Lys330) 6×His

Characterization

The protein has a predicted molecular mass of **Molecular Weight** 41.3 kDa after removal of the signal peptide.

The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

Purity

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before Formulation & Reconstitution

lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

temperature.

This gene encodes a member of the immunoglobulin superfamily. The encoded protein contains a single immunoglobulin (Ig) domain and is a receptor that relays inhibitory signals to suppress the immune response.

Alternative splicing results in multiple transcript variants. Polymorphisms in this gene have been associated with an increased risk of rheumatoid

Email: info@dimabio.com Website: www.dimabio.com

arthritis.

Usage Research use only

Conjugate Unconjugated

Background








Figure 1. Human BTLA Protein, mFc-His Tag on SDS-PAGE under reducing condition.

Human BTLA, mFc-His Tagged protein ELISA

0.2 µg of HVEM, His Tagged protein per well




Figure 2. ELISA plate pre-coated by 2 μ g/ml (100 μ l/well) Human HVEM, His tagged protein PME100273 can bind Human BTLA,mFc-His tagged protein (PME100048) in a linear range of 0.64-80 ng/ml.

Email: info@dimabio.com Website: www.dimabio.com






Figure 3. Flow cytometry analysis with $1\mu g/ml$ Human BTLA Protein, mFc-His tag (PME100048) on HEK293 cells transfected with human HVEM (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).

Email: info@dimabio.com Website: www.dimabio.com

