

## PRODUCT INFORMATION

|   |  |
|---|--|
| <b>Target</b>                           | CD14   |
| <b>Synonyms</b>                         | CD14 Molecule; Myeloid Cell-Specific Leucine-Rich Glycoprotein; CD14 Antigen; Monocyte Differentiation Antigen CD14  |
| <b>Description</b>                      | Recombinant Human CD14(20-344) Protein with C-terminal 6×His tag   |
| <b>Delivery</b>                         | In Stock   |
| <b>Uniprot ID</b>                       | P08571   |
| <b>Expression Host</b>                  | HEK293   |
| <b>Tag</b>                              | C-6×His Tag  |
| <b>Molecular Characterization</b>       | CD14(Thr20-Met344) 6×His tag   |
| <b>Molecular Weight</b>                 | The protein has a predicted molecular mass of 35.9 kDa after removal of the signal peptide. The apparent molecular mass of CD14(20-344)-His is approximately 35-55 kDa due to glycosylation.   |
| <b>Purity</b>                           | The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining.   |
| <b>Formulation &amp; Reconstitution</b> | Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.   |
| <b>Storage&amp;Shipping</b>             | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.  |
| <b>Background</b>                       | The protein encoded by this gene is a surface antigen that is preferentially expressed on monocytes/macrophages. It cooperates with other proteins to mediate the innate immune response to bacterial lipopolysaccharide, and to viruses. This gene has been identified as a target candidate in the treatment of SARS-CoV-2-infected patients to potentially lessen or inhibit a severe inflammatory response. Alternative splicing results in multiple transcript variants encoding the same protein. [provided by RefSeq, Aug 2020] |
| <b>Usage</b>                            | Research use only  |
| <b>Conjugate</b>                        | Unconjugated   |





Figure 1. Human CD14(20-344) Protein, His Tag on SDS-PAGE under reducing condition.

