

PRODUCT INFORMATION

CD155 **Target**

PVR;FLJ25946;PVS;CD155;TAGE4;HVED;NECL5 **Synonyms**

Recombinant human CD155 protein with C-**Description** terminal human Fc tag

Delivery In Stock **Uniprot ID** P15151 **Expression Host HEK293**

Tag C-Human Fc Tag

Molecular

Background

CD155(Trp21-Asn343) hFc(Glu99-Ala330) Characterization

The protein has a predicted molecular mass of 61.2 kDa after removal of the signal peptide. The

Molecular Weight apparent molecular mass of CD155-hFc is

approximately 70-100 kDa due to glycosylation. The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

Purity

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

The protein encoded by this gene is a transmembrane glycoprotein belonging to the immunoglobulin superfamily. The external domain mediates cell attachment to the

extracellular matrix molecule vitronectin, while its intracellular domain interacts with the dynein light chain Tctex-1/DYNLT1. The gene is specific to the primate lineage, and serves as a cellular

receptor for poliovirus in the first step of poliovirus replication. Multiple transcript variants encoding different isoforms have been found for

> Email: info@dimabio.com Website: www.dimabio.com

this gene.

Research use only Usage

Conjugate Unconjugated








Figure 1. Human CD155 Protein, hFc Tag on SDS-PAGE under reducing condition.

Human CD155, hFc Tagged protein ELISA

0.2 µg of Human DNAM-1, mFc-His Tagged protein per well




Figure 2. ELISA plate pre-coated by 2 μ g/ml (100 μ l/well) Human DNAM-1, mFc-His tagged protein PME100050 can bind Human CD155, hFc Tagged protein PME100485 in a linear range of 0.128-32.88 ng/ml.

Email: info@dimabio.com Website: www.dimabio.com





Human CD155, hFc Tagged protein ELISA

0.2 µg of CD155, hFc Tagged protein per well




Figure 3. ELISA plate pre-coated by 2 μ g/ml (100 μ l/well) Human CD96, mFc-His tagged protein PME100028 can bind Human CD155, hFc tagged protein (PME100485) in a linear range of 62.5-4000 ng/ml.

Email: info@dimabio.com Website: www.dimabio.com

