

PRODUCT INFORMATION

Target CD63

CD63 antigen;Granulophysin;LAMP-3;Limp1;Melanoma-associated antigen ME491;OMA81H;Ocular melanoma-associated antigen;Tetraspanin-30; Tspan-30 **Synonyms**

Recombinant human CD63 protein with C-terminal human Description

Fc tag Delivery In Stock **Uniprot ID** P08962 **Expression Host HEK293**

Tag C-Human Fc Tag

Molecular

CD63(Ala103-Val203) hFc(Glu99-Ala330) Characterization

The protein has a predicted molecular mass of 37.7 kDa after removal of the signal peptide. The apparent molecular mass of CD63-hFc is approximately 35-55 kDa due to **Molecular Weight**

glycosylation.

The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining. **Purity**

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of Formulation & Reconstitution

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and Storage & Shipping

thawing). Lyophilized proteins are shipped at ambient

temperature.

The protein encoded by this gene is a member of the transmembrane 4 superfamily, also known as the tetraspanin family. Most of these members are cell-surface

tetraspanin family. Most of these members are cell-surface proteins that are characterized by the presence of four hydrophobic domains. The proteins mediate signal transduction events that play a role in the regulation of cell development, activation, growth and motility. The encoded protein is a cell surface glycoprotein that is known to complex with integrins. It may function as a blood platelet activation marker. Deficiency of this protein is associated with Hermansky-Pudlak syndrome. Also this gene has been associated with tumor progression. Alternative splicing

Background

associated with tumor progression. Alternative splicing results in multiple transcript variants encoding different protein isoforms. [provided by RefSeq, Apr 2012]

Email: info@dimabio.com Website: www.dimabio.com

Usage Research use only Conjugate Unconjugated








Figure 1.Human CD63 Protein, hFc Tag on SDS-PAGE under reducing condition.

