

PRODUCT INFORMATION

CLEC14A **Target**

Synonyms C14orf27;CEG1;EGFR-5

Recombinant human CLEC14A protein with C-**Description**

terminal 6×His tag

Delivery In Stock **Uniprot ID** Q86T13 **Expression Host HEK293** Tag C-6×His Tag

Molecular

CLEC14A(Glu22-Ala397) 6×His tag Characterization

The protein has a predicted molecular mass of **Molecular Weight**

40.7 kDa after removal of the signal peptide. The apparent molecular mass of CLEC14A-His is approximately 70-100 kDa due to glycosylation. The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

Purity

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation & Reconstitution

- 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

This gene encodes a member of the C-type lectin/C-type lectin-like domain (CTL/CTLD) superfamily. Members of this family share a common protein fold and have diverse functions, such as cell adhesion, cell-cell signalling,

glycoprotein turnover, and roles in inflammation and immune response. This family member plays **Background** a role in cell-cell adhesion and angiogenesis. It

functions in filopodia formation, cell migration and tube formation. Due to its presence at higher levels in tumor endothelium than in normal tissue endothelium, it is considered to be a candidate for tumor vascular targeting. [provided by

> Email: info@dimabio.com Website: www.dimabio.com

RefSeq, Jan 2012]

Usage Research use only

Conjugate Unconjugated








Figure 1. Human CLEC14A Protein, His Tag on SDS-PAGE under reducing condition.



