

PRODUCT INFORMATION

| | |
|---|--|
| Tag | C-Flag Tag |
| Target | FFAR2 |
| Synonyms | FFA2R, GPR43 |
| Description | Human FFAR2 full length protein-synthetic nanodisc |
| Delivery | 6~8weeks |
| Uniprot ID | Q15552 |
| Expression Host | HEK293 |
| Protein Families | GPCR, Transmembrane, Druggable Genome, |
| Protein Pathways | GPCRDB Class A Rhodopsin-like, |
| Molecular Weight | The human full length FFAR2 protein has a MW of 37.1kDa |
| Formulation & Reconstitution | Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. |
| Storage&Shipping | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. |
| Background | This gene encodes a member of the GP40 family of G protein-coupled receptors that are clustered together on chromosome 19. The encoded protein is a receptor for short chain free fatty acids and may be involved in the inflammatory response and in regulating lipid plasma levels. [provided by RefSeq, Apr 2009] |
| Usage | Research use only |
| Conjugate | Unconjugated |

