

## **PRODUCT INFORMATION**

FGF-9 **Target** 

Fibroblast Growth Factor 9; FGF-9; Glia-Activating **Synonyms** Factor; GAF; Heparin-Binding Growth Factor

9;HBGF-9;FGF9

Recombinant Human Fibroblast Growth Factor 9 is produced by our E.coli expression system and

the target gene encoding Met1-Ser208 is

expressed.

**Delivery** In Stock P31371 **Uniprot ID Expression Host** E.coli

Tag

Description

Molecular Not available Characterization **Molecular Weight** 23.44 KDa

Storage & Shipping

**Background** 

Greater than 95% as determined by reducing **Purity** 

Formulation & Lyophilized from a 0.2 µm filtered solution of 20mM PB, pH 6.0. Reconstitution

lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).

Lyophilized proteins are shipped at ambient

Store at -20°C to -80°C for 12 months in

temperature.

Fibroblast Growth Factor 9 (FGF-9) belongs to the Fibroblast growth factor (FGF) family. FGF family members possess broad mitogenic and cell survival activities, and are involved in a variety of biological processes, including embryonic

development, cell growth, morphogenesis, tissue repair, tumor growth and invasion. FGF-9 plays an

important role in the regulation of embryonic development, cell proliferation, cell differentiation and cell migration. In addition, FGF-9 may have a role in glial cell growth and differentiation during development, gliosis during repair and regeneration of brain tissue after damage,

differentiation and survival of neuronal cells, and

Email: info@dimabio.com Website: www.dimabio.com

growth stimulation of glial tumors.

Usage Research use only Conjugate Unconjugated








Figure 1. Greater than 95% as determined by reducing SDS-PAGE.




Figure 2. Measured in a cell proliferation assay using Balb/3T3 mouse embryonic fibroblast cells. The ED50 for this effect is 1-5 ng/ml.



56 ina ^) Email: info@dimabio.com Website: www.dimabio.com