

PRODUCT INFORMATION

Tag	C-Flag&Strep Tag
Target	FPR1
Synonyms	FMLP; FPR
Description	Human FPR1-Strep full length protein-synthetic nanodisc
Delivery	In Stock
Uniprot ID	P21462
Expression Host	HEK293
Protein Families	Druggable Genome, GPCR, Transmembrane
Protein Pathways	Neuroactive ligand-receptor interaction
Molecular Weight	The human full length FPR1-Strep protein has a MW of 38.4 kDa
Formulation & Reconstitution	Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for
Storage & Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	A G protein-coupled receptor of mammalian phagocytic cells that is a member of the G-protein coupled receptor 1 family. The protein mediates the response of phagocytic cells to invasion of the host by microorganisms and is important in host defense and inflammation.
Usage	Research use only
Conjugate	Unconjugated



ELISA assay to evaluate FPR1-Strep-Nanodisc
0.2µg Human FPR1-Strep-Nanodisc per well




Figure 1. Elisa plates were pre-coated with C-Flag&Strep Tag FPR1-Strep-Nanodisc (0.2µg/per well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with FPR1-Strep-nanodisc is 1.425ng/ml.




Figure 2. Human FPR1-Strep-Nanodisc, C-Flag&Strep Tag on SDS-PAGE

