

PRODUCT INFORMATION

Tag	C-Flag&Strep Tag
Target	GPR88
Synonyms	COCPMR; STRG
Description	Human GPR88-Strep full length protein-synthetic nanodisc
Delivery	In Stock
Uniprot ID	Q9GZN0
Expression Host	HEK293
Protein Families	Druggable Genome, GPCR, Transmembrane
Protein Pathways	N/A
Molecular Weight	The human full length GPR88-Strep protein has a MW of 40.2 kDa
Formulation & Reconstitution	Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions. Do not use solvents with a pH below 6.5 or those containing high concentrations of divalent metal ions (greater than 5 mM) in subsequent experiments.
Storage & Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	The protein is a G protein-coupled receptor found almost exclusively in the striatum, a brain structure that controls motor function and cognition. Defects in this gene have been associated with chorea, speech delay, and learning difficulties, as well as some neuropsychiatric disorders.
Usage	Research use only
Conjugate	Unconjugated



**ELISA assay to evaluate GPR88-Strep-Nanodisc**  
0.2µg Human GPR88-Strep-Nanodisc per well




Figure 1. Elisa plates were pre-coated with C-Flag&Strep Tag GPR88-Strep-Nanodisc (0.2µg/per well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with GPR88-Strep-nanodisc is 3.524ng/ml.



Figure 2. Human GPR88-Strep-Nanodisc, C-Flag&Strep Tag on SDS-PAGE

