

PRODUCT INFORMATION

| | |
|------------------------------|--|
| Target | IGFBP3 |
| Synonyms | IBP3; BP-53; IBP-3; IGFBP-3 |
| Description | Recombinant human IGFBP3 Protein with C-terminal 6×His tag |
| Delivery | In Stock |
| Uniprot ID | P17936 |
| Expression Host | HEK293 |
| Tag | C-6×His tag |
| Molecular Characterization | IGFBP3(Gly28-Lys291) 6×His tag |
| Molecular Weight | The protein has a predicted molecular mass of 29.6 kDa after removal of the signal peptide. |
| Purity | The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue staining. |
| Formulation & Reconstitution | Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution. |
| Storage & Shipping | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature. |
| Background | This gene is a member of the insulin-like growth factor binding protein (IGFBP) family and encodes a protein with an IGFBP domain and a thyroglobulin type-I domain. The protein forms a ternary complex with insulin-like growth factor acid-labile subunit (IGFALS) and either insulin-like growth factor (IGF) I or II. In this form, it circulates in the plasma, prolonging the half-life of IGFs and altering their interaction with cell surface receptors. Alternate transcriptional splice variants, encoding different isoforms, have been characterized. [provided by RefSeq, Jul 2008] |
| Usage | Research use only |
| Conjugate | Unconjugated |






Figure 1. Human IGFBP3 Protein, His Tag on SDS-PAGE under reducing condition.

