

PRODUCT INFORMATION

Target M-CSF

Synonyms CSF-1;MCSF

Recombinant Human M-CSF with C-terminal **Description**

6×His tag

Delivery In Stock **Uniprot ID** P09603 **Expression Host HEK293**

Tag C-6×His Tag

Molecular

Reconstitution

Background

M-CSF(Glu33-Arg255) 6×His tag Characterization

The protein has a predicted molecular mass of 26

kDa after removal of the signal peptide. The apparent molecular mass of M-CSF-His is **Molecular Weight**

approximately 25-55 kDa due to glycosylation. The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

Purity

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation &

- 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

The protein encoded by this gene is a cytokine that controls the production, differentiation, and function of macrophages. The active form of the protein is found extracellularly as a disulfidelinked homodimer, and is thought to be produced


by proteolytic cleavage of membrane-bound precursors. The encoded protein may be involved in development of the placenta. Alternate splicing results in multiple transcript variants. [provided

by RefSeq, Sep 2011]

Usage Research use only

Conjugate Unconjugated

Email: info@dimabio.com Website: www.dimabio.com










Figure 1. Human M-CSF Protein, His Tag on SDS-PAGE under reducing condition.

Human M-CSF, His Tagged protein ELISA

0.2 μg of Human M-CSF, His tagged protein per well




Figure 2. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human M-CSF Protein, His Tag (PME100569) can bind Anti-M-CSF Neutralizing antibody BME100104 in a linear range of 2.44–156.25 ng/mL.

Email: info@dimabio.com Website: www.dimabio.com






Figure 3. Flow cytometry analysis with 1 μ g/mL Human M-CSF Protein, His tag (PME100569) on HEK293 cells transfected with human CSF1R (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).



Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com

