

PRODUCT INFORMATION

Tag	C-Flag&Strep Tag
Target	MTR1B
Synonyms	FGQTL2; MEL-1B-R; MT2
Description	Human MTR1B-Strep full length protein-synthetic nanodisc
Delivery	In Stock
Uniprot ID	P49286
Expression Host	HEK293
Protein Families	Druggable Genome, GPCR, Transmembrane
Protein Pathways	Neuroactive ligand-receptor interaction
Molecular Weight	The human full length MTR1B-Strep protein has a MW of 40.2 kDa
Formulation & Reconstitution	Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for
Storage & Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	One of two high affinity forms of a receptor for melatonin, the primary hormone secreted by the pineal gland. This gene product is an integral membrane protein that is a G-protein coupled, 7-transmembrane receptor. It is found primarily in the retina and brain although this detection requires RT-PCR. It is thought to participate in light-dependent functions in the retina and may be involved in the neurobiological effects of melatonin.
Usage	Research use only
Conjugate	Unconjugated



ELISA assay to evaluate MTR1B-Strep-Nanodisc
0.2µg Human MTR1B-Strep-Nanodisc per well




Figure 1. Elisa plates were pre-coated with C-Flag&Strep Tag MTR1B-Strep-Nanodisc (0.2µg/per well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with MTR1B-Strep-nanodisc is 6.063ng/ml.




Figure 2. Human MTR1B-Strep-Nanodisc, C-Flag&Strep Tag on SDS-PAGE

