

PRODUCT INFORMATION

Target PDGFB

SIS, SSV, IBGC5, PDGF2, c-sis, PDGF-2 **Synonyms**

Recombinant human PDGFB Protein with N-Description

terminal human Fc tag

Delivery In Stock **Uniprot ID** P01127 **Expression Host HEK293**

Tag N-Human Fc tag

Molecular

Purity

hFc(Glu99-Ala330) PDGFB(Ser82-Thr190) Characterization

The protein has a predicted molecular mass of **Molecular Weight** 38.4 kDa after removal of the signal peptide.

The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before

Formulation & lyophilization. Please see Certificate of Analysis Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

temperature.

This gene encodes a member of the protein family comprised of both platelet-derived growth factors (PDGF) and vascular endothelial growth factors (VEGF). The encoded preproprotein is proteolytically processed to generate platelet-derived growth factor subunit B, which can homodimerize, or alternatively, heterodimerize with the related platelet-derived growth factor subunit A. These proteins bind and activate PDGF

Background receptor tyrosine kinases, which play a role in a wide range of developmental processes. Mutations in this gene are associated with

meningioma. Reciprocal translocations between chromosomes 22 and 17, at sites where this gene and that for collagen type 1, alpha 1 are located, are associated with dermatofibrosarcoma protuberans, a rare skin tumor. Alternative splicing results in multiple transcript variants.

[provided by RefSeq, Oct 2015]

Usage Research use only Conjugate Unconjugated

> Email: info@dimabio.com Website: www.dimabio.com








Figure 1. Human PDGFB Protein, hFc Tag on SDS-PAGE under reducing condition.



