

PRODUCT INFORMATION

C-Flag&Strep Tag Tag

Target PTGER3

EP3; EP3-I; EP3-II; EP3-III; EP3-IV; EP3-VI; EP3e; **Synonyms**

Inc003875; PGE2-R

Human PTGER3-Strep full length protein-synthetic **Description**

nanodisc

Delivery In Stock **Uniprot ID** P43115 **HEK293 Expression Host**

Druggable Genome, GPCR, Transcription Factors, **Protein Families**

Transmembrane

Calcium signaling pathway, Neuroactive ligand-**Protein Pathways**

receptor interaction

The human full length PTGER3-Strep protein has a **Molecular Weight**

MW of 43.3 kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% - 8% trehalose is added as protectants before Formulation & Reconstitution lyophilization. Please see Certificate of Analysis

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

témperature.

The protein is a member of the G-protein coupled receptor family. This protein is one of four receptors identified for prostaglandin E2 (PGE2). This receptor may have many biological


functions, which involve digestion, nervous system, kidney reabsorption, and uterine contraction activities. Studies of the mouse counterpart suggest that this receptor may also mediate adrenocorticotropic hormone response as well as fever generation in response to exogenous and endogenous stimuli.

Usage Research use only

Conjugate Unconjugated

Background









ELISA assay to evaluate PTGER3-Strep-Nanodisc 0.2µg Human PTGER3-Strep-Nanodisc per well




Figure 1. Elisa plates were pre-coated with C-Flag&Strep Tag PTGER3-Strep-Nanodisc ($0.2\mu g/per$ well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with PTGER3-Strep-nanodisc is 2.770ng/ml.




Figure 2. Human PTGER3-Strep-Nanodisc, C-Flag&Strep Tag on SDS-PAGE

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com

