Cat. No. FLP100102



PRODUCT INFORMATION

C-Flag Tag Tag PROKR1 **Target**

Synonyms GPR73; GPR73a; PK-R1; PKR1; ZAQ

Human PROKR1 full length protein-synthetic **Description**

nanodisc **Delivery** In Stock **Uniprot ID** Q8TCW9 **Expression Host HEK293**

Protein Families Druggable Genome, GPCR, Transmembrane

Protein Pathways

Background

The human full length PROKR1 protein has a MW **Molecular Weight**

of 44.8 kDa

Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before Formulation & Reconstitution lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping Lyophilized proteins are shipped at ambient

temperature.

A member of the G-protein-coupled receptor family. The encoded protein binds to prokineticins (1 and 2), leading to the activation of MAPK and STAT signaling pathways. Prokineticins are protein ligands involved in angiogenesis and inflammation. The encoded protein is expressed in peripheral tissues such as those comprising the circulatory system, lungs, reproductive system, endocrine system and the gastrointestinal

system. The protein may be involved in signaling in human fetal ovary during initiation of

primordial follicle formation. Sequence variants in

this gene may be associated with recurrent

miscarriage.

Usage Research use only Conjugate Unconjugated

> Email: info@dimabio.com Website: www.dimabio.com



ELISA assay to evaluate PROKR1-Nanodisc 0.2μg Human PROKR1-Nanodisc per well




Figure 1. Elisa plates were pre-coated with Flag Tag PROKR1-Nanodisc (0.2 μ g/per well). Serial diluted anti-Flag monoclonal antibody solutions were added, washed, and incubated with secondary antibody before Elisa reading. From above data, the EC50 for anti-Flag monoclonal antibody binding with PROKR1-Nanodisc is 6.323ng/ml.




Figure 2. Human PROKR1-Nanodisc, Flag Tag on SDS-PAGE

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China) /+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com

