

PRODUCT INFORMATION

Target	PTGIR
Synonyms	IP, PRIPR
Description	Recombinant human PTGIR Protein with C-terminal human Fc tag
Delivery	In Stock
Uniprot ID	P43119
Expression Host	HEK293
Tag	C-Human Fc tag
Molecular Characterization	PTGIR(Met1-Gly16) hFc(Glu99-Ala330)
Molecular Weight	The protein has a predicted molecular mass of 27.9 kDa after removal of the signal peptide.
Purity	The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.
Formulation & Reconstitution	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Storage&Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	The protein encoded by this gene is a member of the G-protein coupled receptor family 1 and has been shown to be a receptor for prostacyclin. Prostacyclin, the major product of cyclooxygenase in macrovascular endothelium, elicits a potent vasodilation and inhibition of platelet aggregation through binding to this receptor. [provided by RefSeq, Jul 2008]
Usage	Research use only
Conjugate	Unconjugated






Figure 1. Human PTGIR Protein, hFc Tag on SDS-PAGE under reducing condition.

