

## **PRODUCT INFORMATION**

Тад	C-Flag Tag
Target	SCNNG
Synonyms	BESC3, ENaCg, ENaCgamma, LDLS2, PHA1, SCNEG
Description	Human SCNNG full length protein-synthetic
Delivery	6~8weeks
Uniprot ID	P51170
<b>Expression Host</b>	HEK293
<b>Protein Families</b>	Ion Channels: Other
Protein Pathways	N/A
Molecular Weight	The human full length SCNNG protein has a MW of 74.3kDa
Formulation & Reconstitution	Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0). Normally 5% – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Storage & Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	Nonvoltage-gated, amiloride-sensitive, sodium channels control fluid and electrolyte transport across epithelia in many organs. These channels are heteromeric complexes consisting of 3 subunits: alpha, beta, and gamma. This gene encodes the gamma subunit, and mutations in this gene have been associated with Liddle syndrome. [provided by RefSeq, Apr 2009]
Usage	Research use only
Conjugate	Unconjugated

