

## **PRODUCT INFORMATION**

SIGLEC5 **Target** 

CD33L2;CD170;OB-BP2;OBBP2;SIGLEC-5 **Synonyms** 

Recombinant Human SIGLEC5 Protein with C-**Description** 

terminal 6×His tag

**Delivery** In Stock **Uniprot ID** 015389 **Expression Host HEK293** 

Tag C-6×His Tag

Molecular

**Background** 

SIGLEC5(Glu17-Thr434) 6×His tag Characterization

The protein has a predicted molecular mass of **Molecular Weight** 

47.2 kDa after removal of the signal peptide. The apparent molecular mass of SIGLEC5-His is approximately 55-100 kDa due to glycosylation. The purity of the protein is greater than 85% as determined by SDS-PAGE and Coomassie blue

Purity

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation & Reconstitution

- 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.


This gene encodes a member of the sialic acid-binding immunoglobulin-like lectin (Siglec) family. These cell surface lectins are characterized by structural motifs in the immunoglobulin (Ig)-like domains and sialic acid recognition sites in the first Ig V set domain. The encoded protein is a member of the CD33-related subset of Siglecs

and inhibits the activation of several cell types including monocytes, macrophages and neutrophils. Binding of group B Streptococcus (GBS) to the encoded protein plays a role in GBS

immune evasion. [provided by RefSeq, Feb 2012]

Usage Research use only

Conjugate Unconjugated



/+86-400-006-0995(China)

Email: info@dimabio.com Website: www.dimabio.com








Figure 1. Human SIGLEC5 Protein, His Tag on SDS-PAGE under reducing condition.

Email: info@dimabio.com Website: www.dimabio.com

