

PRODUCT INFORMATION

Target	TGFB3
Synonyms	ARVD; LDS5; RNHF; ARVD1; TGF-beta3
Description	Recombinant human TGFB3 Protein with C-terminal human Fc tag
Delivery	In Stock
Uniprot ID	P10600
Expression Host	HEK293
Tag	C-Human Fc tag
Molecular Characterization	TGFB3(Leu24-Arg300) hFc(Glu99-Ala330)
Molecular Weight	The protein has a predicted molecular mass of 58.2 kDa after removal of the signal peptide.
Purity	The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue staining.
Formulation & Reconstitution	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.
Storage&Shipping	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Background	This gene encodes a secreted ligand of the TGF-beta (transforming growth factor-beta) superfamily of proteins. Ligands of this family bind various TGF-beta receptors leading to recruitment and activation of SMAD family transcription factors that regulate gene expression. The encoded preproprotein is proteolytically processed to generate a latency-associated peptide (LAP) and a mature peptide, and is found in either a latent form composed of a mature peptide homodimer, a LAP homodimer, and a latent TGF-beta binding protein, or in an active form consisting solely of the mature peptide homodimer. The mature peptide may also form heterodimers with other TGF-beta family members. This protein is involved in embryogenesis and cell differentiation, and may play a role in wound healing. Mutations in this gene are a cause of aortic aneurysms and dissections, as well as familial arrhythmogenic right ventricular dysplasia 1. [provided by RefSeq, Aug 2016]
Usage	Research use only
Conjugate	Unconjugated





Figure 1. Human TGFB3 Protein, hFc Tag on SDS-PAGE under reducing condition.

