

## **PRODUCT INFORMATION**

VEGFR2 **Target** 

**Synonyms** CD309;FLK1;VEGFR;VEGFR2

Recombinant human VEGFR2 Protein with C-**Description** 

terminal 6×His tag

**Delivery** In Stock **Uniprot ID** P35968 **HEK293 Expression Host** Tag C-6×His Tag

Molecular

**Molecular Weight** 

Reconstitution

VEGFR2(Ala20-Glu764) 6×His tag Characterization

The protein has a predicted molecular mass of

84.1kDa after removal of the signal peptide.The apparent molecular mass of VEGFR2-His is

approximately 130-250 kDa due to glycosylation. The purity of the protein is greater than 95% as determined by SDS-PAGE and Coomassie blue

Purity

staining.

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation &

- 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

temperature.

Vascular endothelial growth factor (VEGF) is a major growth factor for endothelial cells. This gene encodes one of the two receptors of the VEGF. This receptor, known as kinase insert domain receptor, is a type III receptor tyrosine kinase. It functions as the main mediator of VEGF-induced endothelial proliferation, survival,

migration, tubular morphogenesis and sprouting. The signalling and trafficking of this receptor are **Background** 

regulated by multiple factors, including Rab GTPase, P2Y purine nucleotide receptor, integrin alphaVbeta3, T-cell protein tyrosine phosphatase, etc.. Mutations of this gene are implicated in infantile capillary hemangiomas. [provided by

RefSeq, May 2009]

Usage Research use only

Conjugate Unconjugated

Email: info@dimabio.com Website: www.dimabio.com








Figure 1. Human VEGFR2 Protein, His Tag on SDS-PAGE under reducing condition.

## **Human VEGFR2, His tagged protein ELISA**

0.5 μg of Human VEGFR2, His tagged protein per well




Figure 2. ELISA plate pre-coated by 5  $\mu$ g/mL (100  $\mu$ L/well) Human VEGFR2 protein, His Tag (PME100104) can bind Anti-VEGFR2 Neutralizing antibody BME100060 in a linear range of 6.4-800 ng/mL.

