

## PRODUCT INFORMATION

|   |  |
|---|--|
| <b>Clone ID</b>                         | DMC461   |
| <b>Target</b>                           | CLU  |
| <b>Synonyms</b>                         | AAG4; APOJ; CLI; KUB1; MGC24903; SGP-2; SGP2; SP-40; TRPM-2; TRPM2   |
| <b>Host Species</b>                     | Rabbit   |
| <b>Description</b>                      | PE-conjugated Anti-CLU antibody(DMC461); IgG1 Chimeric mAb   |
| <b>Delivery</b>                         | Under Development  |
| <b>Uniprot ID</b>                       | P10909   |
| <b>IgG type</b>                         | Rabbit/Human Fc chimeric IgG1  |
| <b>Clonality</b>                        | Monoclonal   |
| <b>Reactivity</b>                       | Human  |
| <b>Applications</b>                     | Flow Cyt   |
| <b>Recommended Dilutions</b>            | Flow Cyt 1:100   |
| <b>Purification</b>                     | Purified from cell culture supernatant by affinity chromatography  |
| <b>Formulation &amp; Reconstitution</b> | Liquid□PBS with 0.05% Proclin300, 1% BSA   |
| <b>Storage&amp;Shipping</b>             | Store at 2°C-8°C for 6 months  |
| <b>Background</b>                       | The protein encoded by this gene is a secreted chaperone that can under some stress conditions also be found in the cell cytosol. It has been suggested to be involved in several basic biological events such as cell death; tumor progression; and neurodegenerative disorders. Alternate splicing results in both coding and non-coding variants.[provided by RefSeq; May 2011] |
| <b>Usage</b>                            | Research use only  |
| <b>Conjugate</b>                        | PE-conjugated  |
| <b>DIMA Disclaimer</b>                  | All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scr   |

