

**PRODUCT INFORMATION**

|   |   |
|---|---|
| <b>Common Name</b>                      | enfortumab  |
| <b>Conjugate</b>                        | PE-conjugated   |
| <b>Synonyms</b>                         | EDSS1;LNIR;nectin-4;PRR4;PVRL4  |
| <b>Applications</b>                     | Flow Cyt  |
| <b>Recommended Dilutions</b>            | Flow Cyt 0.5µl/test   |
| <b>Formulation &amp; Reconstitution</b> | Liquid□PBS with,0.18%BSA□0.1%Proclin300   |
| <b>Host Species</b>                     | Homo sapiens  |
| <b>IgG type</b>                         | Human IgG1 - kappa  |
| <b>Reactivity</b>                       | Human   |
| <b>Target</b>                           | Nectin-4  |
| <b>Uniprot ID</b>                       | Q96NY8  |
| <b>Description</b>                      | PE-conjugated Anti-Nectin-4(enfortumab biosimilar) mAb  |
| <b>Delivery</b>                         | In Stock  |
| <b>Storage&amp;Shipping</b>             | Store at 2°C-8°C for 6 months   |
| <b>Background</b>                       | Research grade biosimilar. Not for use in therapeutic or diagnostic procedures for humans or animals. |
| <b>Usage</b>                            | Research use only   |






Figure 1. Flow cytometry analysis with 0.5µl/test PE-conjugated Anti-Nectin-4(enfortumab biosimilar) on T-47D cell line (Blue histogram) or CHO-S cell line (Red histogram).

DIMABIO CONFIDENTIAL

