

PRODUCT INFORMATION

Uniprot ID Q7Z7D3

Common Name XMT 1660, XMT 1660

Conjugate Unconjugated

VTCN1 **Synonyms**

Applications ELISA, Flow Cyt

Recommended

ELISA 1:5000-10000, Flow Cyt 1:100 **Dilutions**

Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Formulation & Reconstitution

for specific instructions.

Host Species Humanized

Human IgG1(E356D,M358L) - kappa IgG type

Reactivity Human B7-H4 **Target**

Description Anti-B7-H4(XMT-1660 biosimilar) mAb

Delivery In Stock

> Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and

Storage & Shipping

thawing) Lyophilized antibodies are shipped at

ambient temperature.

Research grade biosimilar. Not for use in

Background therapeutic or diagnostic procedures for humans

or animals.


Usage Research use only

> All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are

DIMA Disclaimer

actively scrutinizing all patent application to ensure no IP infringement.

Email: info@dimabio.com Website: www.dimabio.com





Anti-B7-H4(XMT-1660 biosimilar) mAb ELISA

0.2 μg of Human B7-H4, hFc tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μ g/mL (100 μ L/well) Human B7-H4 Protein, hFc Tag (PME100053) can bind Anti-B7-H4(XMT-1660 biosimilar) mAb (BME100192) in a linear range of 3.20–80 ng/mL.In order to specifically detect BME100192, mouse anti-human Fab-specific antibody was used as detection antibody.




Figure 2. Flow cytometry analysis with 1µg/mL Anti-B7-H4(XMT-1660 biosimilar) mAb (BME100192) on Expi293 cells transfected with Human B7-H4 protein (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).

