

PRODUCT INFORMATION

Common Name Hu5F9-G4 Conjugate Unconjugated CD47;MER6;IAP **Synonyms Applications** ELISA; Flow Cyt

Recommended **Dilutions**

ELISA 1:5000-10000; Flow Cyt 1:100

Formulation & Reconstitution Lyophilized from sterile PBS, pH 7.4. Normally 5 % – 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Host Species Chimeric Humanized IgG type Human IgG4 - Kappa

Reactivity Human **Target CD47 Uniprot ID** Q08722

Description Anti-CD47 (magrolimab biosimilar, IgG4) mAb

Delivery In Stock

Store at -20°C to -80°C for 12 months in

lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Storage & Shipping

Lyophilized proteins are shipped at ambient

Email: info@dimabio.com Website: www.dimabio.com

témperature.

Research grade biosimilar. Not for use in

Background therapeutic or diagnostic procedures for humans

or animals.

Usage Research use only





Human CD47, mFc-His Tagged protein ELISA

0.2 µg of Human CD47, mFc-His tagged protein per well




Figure 1. ELISA plate pre-coated by 2 μ g/ml (100 μ l/well) Human CD47, mFc-His tagged protein PME100008 can bind Anti-CD47 (Neutralizing antibody clone Hu5F9-G4) in a linear range of 0.061-1.606 ng/ml.




Figure 2. HEK293 cell line transfected with irrelevant protein (B) and human CD47(A) were surface stained with anti-CD47 neutralizing antibody 1µg/ml (magrolimab) followed by Alexa 488-conjugated anti-human IgG secondary antibody.

Email: info@dimabio.com Website: www.dimabio.com

