

## PRODUCT INFORMATION

|   |  |
|---|--|
| <b>Clone ID</b>                         | DMC486   |
| <b>Target</b>                           | CD23   |
| <b>Synonyms</b>                         | BLAST-2; CD23; CD23A; CLEC4J; FCE2; IGEBF  |
| <b>Host Species</b>                     | Rabbit   |
| <b>Description</b>                      | Anti-CDH23 antibody(DMC486); IgG1 Chimeric mAb   |
| <b>Delivery</b>                         | In Stock   |
| <b>Uniprot ID</b>                       | P06734   |
| <b>IgG type</b>                         | Rabbit/Human Fc chimeric IgG1  |
| <b>Clonality</b>                        | Monoclonal   |
| <b>Reactivity</b>                       | Human  |
| <b>Applications</b>                     | Flow Cyt   |
| <b>Recommended Dilutions</b>            | Flow Cyt 1:100   |
| <b>Purification</b>                     | Purified from cell culture supernatant by affinity chromatography  |
| <b>Formulation &amp; Reconstitution</b> | Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.   |
| <b>Storage&amp;Shipping</b>             | Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.  |
| <b>Background</b>                       | The protein encoded by this gene is a B-cell specific antigen; and a low-affinity receptor for IgE. It has essential roles in B cell growth and differentiation; and the regulation of IgE production. This protein also exists as a soluble secreted form; then functioning as a potent mitogenic growth factor. Alternatively spliced transcript variants encoding different isoforms have been described for this gene.[provided by RefSeq; Jul 2011] |
| <b>Usage</b>                            | Research use only  |
| <b>Conjugate</b>                        | Unconjugated   |
| <b>DIMA Disclaimer</b>                  | All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are actively scr   |






Figure 1. Flow cytometry analysis with Anti-CD23 (DMC486) on HEK293 cells transfected with human CD23 (Blue histogram) or HEK293 transfected with irrelevant protein (Red histogram).




Figure 2. Flow cytometry analysis of antigen binding of anti-human CD23 mAb(DMC100486).

(A) DMC100486 does not bind to jurkat cells that do not express CD23.

(B) A clear peak shift of DMC100486 was seen compared to the control when incubated with CD23-expressing Raji cells, indicating strong binding of DMC100486 to CD23. Antibodies were incubated at 5  $\mu$ g/mL.

