

PRODUCT INFORMATION

Clone ID **DMC219 Target** FCGR3A

FCGR3A;CD16A;FCG3;FCGR3;IGFR3 **Synonyms**

Host Species Rabbit

Anti-FCGR3A antibody(DMC219); IgG1 Chimeric Description mAb

Delivery In Stock **Uniprot ID** P08637

Rabbit/Human Fc chimeric IgG1 IgG type

Clonality Monoclonal Reactivity Human

Applications ELISA; Flow Cyt

Recommended

ELISA 1:5000-10000; Flow Cyt 1:100 **Dilutions**

Purified from cell culture supernatant by affinity **Purification**

chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation & - 8% trehalose is added as protectants before Reconstitution

lyophilization. Please see Certificate of Analysis for specific instructions of reconstitution.

Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store

Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

témperature.

This gene encodes a receptor for the Fc portion of immunoglobulin G; and it is involved in the removal of antigen-antibody complexes from the circulation; as well as other other antibody-dependent responses. This gene (FCGR3A) is highly similar to another nearby gene (FCGR3B) located on chromosome 1. The receptor encoded by this gene is expressed on natural killer (NK) cells as an integral membrane glycoprotein anchored through a transmembrane peptide; whereas FCGR3B is expressed on polymorphonuclear neutrophils (PMN) where the

Background

receptor is anchored through a phosphatidylinositol (PI) linkage. Mutations in this gene have been linked to susceptibility to recurrent viral infections; susceptibility to systemic lupus erythematosus; and alloimmune neonatal neutropenia. Alternatively spliced transcript variants encoding different isoforms

have been found for this gene.

Usage Research use only Conjugate Unconjugated

> All DIMA recombinant antibodies are genuinely generated by DIMA Biotech. They are all under patent application. Any protein sequencing or reverse engineering attempt is prohibited. We are

> > Email: info@dimabio.com Website: www.dimabio.com

DIMA Disclaimer actively scrutinizing all patent application to

ensure no IP infringement.

Address: Wuhan institute of Biotechnology B7, Biolake No.666 Gaoxin Road, Wuhan, Hubei, China Telephone: +1 2409940618(USA) /+86-18062749453(China)

/+86-400-006-0995(China)






Figure 1. Flow cytometry analysis with Anti-FCGR3A (DMC219) on Expi293 cells transfected with human FCGR3A (Blue histogram) or Expi293 transfected with irrelevant protein (Red histogram).

Email: info@dimabio.com Website: www.dimabio.com

