

## **PRODUCT INFORMATION**

Clone ID **DM59** CD27 **Target** 

**Synonyms** CD27; TNFRSF7; S152; T14; Tp55

**Host Species** Rabbit

Biotinylated Anti-CD27 antibody(DM59); Rabbit Description

mAb

**Delivery** 2-3 weeks **Uniprot ID** P26842 Rabbit IgG IgG type Clonality Monoclonal Reactivity Human

**Applications** ELISA; Flow Cyt

Recommended

**Background** 

ELISA 1:5000-10000; Flow Cyt 1:100 **Dilutions** 

Purified from cell culture supernatant by affinity **Purification** 

chromatography

Lyophilized from sterile PBS, pH 7.4. Normally 5 % Formulation & - 8% trehalose is added as protectants before lyophilization. Please see Certificate of Analysis Reconstitution

for specific instructions of reconstitution. Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not

intended for use within a month, aliquot and store Storage & Shipping at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient

témperature.

The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor is

required for generation and long-term

maintenance of T cell immunity. It binds to ligand CD70; and plays a key role in regulating B-cell activation and immunoglobulin synthesis. This receptor transduces signals that lead to the activation of NF-kappaB and MAPK8:JNK. Adaptor proteins TRAF2 and TRAF5 have been shown to

mediate the signaling process of this receptor. CD27-binding protein (SIVA); a proapoptotic protein; can bind to this receptor and is thought to play an important role in the apoptosis induced by this recentor.

by this receptor.

**Usage** Research use only



